


DSB320-842

Fanless Digital Signage Player Supports Intel® Celeron® Processor J1900 (up to 2.42 GHz)

NEW



- | | | |
|-------------------------|----------------------|-----------------|
| 1. Power on/off button | 6. Audio (Line-out) | 11. USB 2.0 x 2 |
| 2. 12Vdc in | 7. Storage indicator | 12. HDMI output |
| 3. Remote button switch | 8. Power indicator | 13. RJ45 |
| 4. Antenna(optional) | 9. Digital I/O (DIO) | 14. VGA output |
| 5. Audio (Mic -in) | 10. RS-232 (COM) | 15. USB 2.0 x 2 |



Specifications

Main System	CPU	Intel® Celeron® processor J1900 (up to 2.42 GHz) (Bay Trail)
	System Memory	1 x 204-pin DDR3L-1333 SO-DIMM max. up to 8 GB
	Storage	1 x mSATA supported
	Watchdog Timer	255 levels, 1-255 sec.
	I/O	4 x USB 2.0 1 x 10/100/1000Mbps Ethernet 1 x 8-CH TTL DIO (DB9 connector) 1 x HDMI 1 x VGA 1 x RS-232 (COM) 1 x power on/off button 1 x Audio (Line out) 1 x Audio (Mic-in) 1 x Remote button switch 1 x Kensington lock
Indicator	1 x LED for system power on 1 x LED for HDD active	
WiFi	Optional 802.11 b/g/n	
Expansion Slot	1 x full-size PCI Express Mini card (for mSATA) 1 x half-size PCI Express Mini card with SIM slot	
Power Supply	12VDC, with AC-DC 12/36W Adapter	
Dimensions	180.7 mm (7.11") (W) x 128 mm (5.04") x 34.7 mm (1.37")	
Packing Dimension	309 mm (12.17") (W) x 275 mm (10.83") (D) x 106 mm (4.17") (H)	
Weight (net/gross)	1 kg (2.21 lb)/ 1.5 kg (3.3 lb)	
Environmental	0°C ~ +40°C (+32°F ~ +104°F)	

Packing

- 1 x driver CD
- 1 x adapter 12V 36W
- 1 x power cord
- 1 x remote button cable (1Meter)

Features

- Fanless operation
- Low power consumption
- Supports Intel® Celeron® 4-core J1900 onboard (Bay Trail-D)
- Supports DDR3L-1333 SO-DIMM max. up to 8 GB
- 1 HDMI & 1 VGA for dual independent display
- 1 mSATA supported
- Supports AVB (Audio Video Bridging) feature
- Supports TV rack, wall mount and VESA mount

Optional OS Installation

Windows® 7, Windows® 8.1

Ordering Information

Standard

DSB320-842 Fanless digital signage player supports Intel® Celeron® processor J1900 (up to 2.42 GHz)

Optional

VESA Mount kit

Wall Mount kit

TV Rack Kit

* Specification and certifications are based on options and may vary.

Dimensions

