

7" TFT LCD Monitor



**Model No. SEF708TPC**

**Ultra-High Brightness 7" VGA TFT LCD Touch Screen With Aluminum-Alloy Rear Enclosure Design**

**Feature:**

*Front enclosure with plastic, Rear Side With Aluminum-Alloy Enclosure*

*High Brightness 800cd/m<sup>2</sup>*

*16:9 wide Screen*

*High Power LEDs Backlight with Mercury-free solution*

*Three Video Inputs*

*Two Audio Inputs*

*One VGA Input*

*USB Interface*

*Touch Screen Function*

*Resolution Supports from 640x480~ 1920x1080 pixels for VGA Mode*

*Auto Power On/Off Function*

*NTSC/PAL/SECAM Auto Switching*

*With Metal Stand*

*Auto Reversing Function For Video 3*

*Auto Dimmer Function*

*DC9-32V*

*CE/FCC/E13/RoHS*

***Optional: Sunlight Readable Function***

**Specification**

|       |                          |                        |
|-------|--------------------------|------------------------|
| PANEL | Screen Size              | 7 inch (18cm Diagonal) |
|       | Display Resolution (dot) | 800(H) x RGB x 480 (V) |

**SEFORM ELECTRONICS CO., LTD.**

TEL: 886-7-8130209 FAX: 886-7-8131917

E-mail: [sales@seform.com.tw](mailto:sales@seform.com.tw) URL: [www.seform.com.tw](http://www.seform.com.tw)

## 7" TFT LCD Monitor

|                 |   |                               |
|-----------------|---|-------------------------------|
|                 | Interface   | Digital                       |
|                 | Driver System   | TFT active matrix             |
|                 | Active Area (mm)  | 152.4(H) x 91.44 (V)          |
|                 | Dot Pitch (mm)  | 0.0635 (H) x RGB X 0.1905(V)  |
|                 | Color Configuration   | R.G.B. stripe                 |
|                 | Backlight unit  | High Power LEDs               |
|                 | Contrast Ratio  | 500:1                         |
|                 | Brightness  | 800 nits                      |
|                 | View Angle(T/B/L/R)   | 50/65/65/65 deg.              |
| Input Signal    | Video source  | R.G.B (0.7/1.0Vpp, 75 ohms)   |
|                 | Frequency   | Fh:30-80Khz, Fv: 60-75Hz      |
| Audio           |   | 1W x 1 Speaker                |
| Resolution      | Supported   | 640x480~1920x1080 @60/70/75Hz |
|                 | Recommended   | 800x480 @60Hz                 |
| Power Rating    | Input   | DC9-32V                       |
| Temperature     | Operation(°C)   | -20 to +70                    |
|                 | Storage(°C)   | -30 to +80                    |
| Dimension       | Overall(W)X(H)X(D)mm  | 190.06 x 131.7 x 29.8         |
| Certificate     | CE/FCC, RoHS  |                               |
| TouchKit Driver | Windows vista / 9X / Me / NT4.0 / 2000 / XP / CE.NET/CE 2.12/3.0<br>Embedded/ Dos<br>Mac OS 9X / OS X(Intel CPU)<br>Linux Readme / Mandrake / Red Hat / Fedora Core / SuSE / Debian /<br>(K)Ubuntu / Yellow Dog |                               |
| Accessories     | Metal stand x 1, AC switching power supply x 1,<br>Car Cigarette lighter adapter x 1, All-In-One cable x 1,<br>Remote controller x 1, Touch driver x 1, Users manual x 1,<br>Touch Stylus x 1                   |                               |



Dimension Drawing:

**SEFORM ELECTRONICS CO., LTD.**

TEL: 886-7-8130209 FAX: 886-7-8131917

E-mail: [sales@seform.com.tw](mailto:sales@seform.com.tw) URL: [www.seform.com.tw](http://www.seform.com.tw)

## 7" TFT LCD Monitor



**SEFORM ELECTRONICS CO., LTD.**

TEL: 886-7-8130209 FAX: 886-7-8131917

E-mail: [sales@seform.com.tw](mailto:sales@seform.com.tw) URL: [www.seform.com.tw](http://www.seform.com.tw)